RAYNOR GARAGE DOORS

SteelPro™

Sectional Pan Doors

Raynor SteelPro doors provide a practical, reliable solution for a variety of commercial and industrial applications. Constructed with hot-dipped galvanized steel, these 2" thick sections deliver maximum rust resistance, while an extruded aluminum astragal retainer reinforces the bottom section to help eliminate flex. SteelPro delivers practical performance at an exceptional value.

SP20
Built for maximum durability, the SP20 features 2" thick sections and heavy-duty 20 gauge steel, making it the strongest model in the SteelPro Series. Designed for tough commercial environments, the SP20 delivers long-lasting performance with essential color and size options, including ColorWave™ finishes.

SP24
The SP24 combines 2" thick construction with 24 gauge steel, offering reliable performance for a wide range of commercial applications. As the most versatile model in the SteelPro Series, it provides the broadest selection of sizes, colors, including Taupe, Brown, Black, and ColorWave™, and available options to meet varying project needs.

SP24C
A simplified solution for standard applications, the SP24C features 2" thick insulated construction and nominal 24 gauge steel. With a more limited range of sizes, colors, and options, it's a cost-effective choice for projects that prioritize value and quality over customization.

SteelPro™

Every sectional pan door in the SteelPro Series is designed for dependable, everyday operation. The features below are available across the product line. For additional configurations and options, refer to the inside spread.

SteelPro SP-24

Colors

Standard on All SteelPro Doors

White

SP24 Optional Colors

Taupe

Brown

Black

The swatches shown on monitors and printed materials may vary from the actual color. For a true representation of the color, visit your local Raynor Dealer.

Optional Post Paint Finish*

COLORWAVE™ Raynor's ColorWave™ features Sherwin-Williams® next generation post paint system for your garage door. With 1,500 colors to choose from, home and business owners can couple this elite paint system with state of the art Raynor manufacturing to craft the perfect look for their home or project.

* Not all colors are available in solar reflective paint, colors that are not available as solar reflective cannot be used on polyurethane doors.

Features

Durable Construction
Roll-formed tongue-and-groove rails provide excellent structural integrity, SP20, SP24 and SP24C doors are built to withstand heavy use.

Rugged Hardware and Springs
Your SteelPro door comes packaged with the right combination of hardware, track and springs to precisely match your door's size and application and provides years of reliable service.

Decreased Energy Costs
SteelPro doors help you reduce energy costs with a U-shaped, vinyl bottom weatherseal secured by a sturdy aluminum retainer.

Ribbed Sections
Ribbed sections add strength to the door by making a firm connection between the outer steel and the mutts/end stiles.

Energy-Saving Options

Header Seal
Two header seal options are available on all SteelPro models. These header seals greatly reduce air infiltration and energy costs by sealing the top of the door against the header.

Section Joint Seal
SteelPro doors are available with a neoprene foam rubber section joint seal to help prevent airflow between sections.

Jamb Seal
Jamb seal also helps to reduce air infiltration and decrease energy costs by sealing the side of the door when closed. Available in EPDM rubber or flexible vinyl flap.

Options and Upgrades

Insulation
Doors are available with energy-saving insulation. Choose from white impact-resistant (shown) or steel (26 gauge) back covers.

EnduraCote™
The EnduraCote hardware system comes with springs, track and hardware that are powder coated to provide a clean, finished look and maximum protection against rust.

Customized Track and Hardware
Track systems are supplied to fit special clearances, inclines or contour applications. Hardware and track systems can be designed to fit any need.* Additional trussing is available for special wind loading applications. A QuikClip™ pre-assembled track option is also available.

Choice of Windows
Windows are available in your choice of either 24" x 6" (top photo), 25"x12", or in fullview aluminum intermediate sections (bottom photo). Impact-rated, fullview aluminum sections are also available to protect in high-wind events.

High-cycle Counterbalance System
For reliable operation in high traffic areas, choose high-cycle torsion springs with 25,000; 50,000 or 100,000 cycle life. For reduced maintenance and ultra-smooth operation in heavy-use applications, choose a weight counterbalance system.

Locks
In applications where control and access are important, choose from a variety of locking options to help keep your building secure. Locks come in both inside and outside variations.

Removable Center Posts
A swing-up post is available for extra-wide openings, and is Ideal for agricultural or airplane hangar applications.

Carbon Monoxide Vent
Allows you to channel fumes to the outside when door is closed. Available in a variety of sizes

QuickDock™ Solution
A QuickDock option is available on SP20, SP24 and SP24C, offering pre-assembled, palletized sections for safer, faster and easier installation on orders of 36 doors or more.

Feature Guide

Model	Max. Door Width	Max. Door Height	Surface Texture	Exterior Steel Thickness	End/Center Stile Steel Thickness	Optional Insulation (R-Value)	Exterior Colors
SP20	32'-2"	24'-0"	Smooth (Ribbed)	20 Gauge	16 Gauge/18 Gauge	Polystyrene (6.8)	White, ColorWave™
SP24	32'-2"	24'-0"	Smooth (Ribbed)	24 Gauge	16 or 18 Gauge/18 Gauge	Polystyrene (6.8)	White, Taupe, Brown, Black, ColorWave™
SP24C	20'-2"	16'-0"	Smooth (Ribbed)	Nominal 24 gauge	18 Gauge/18 Gauge	Polystyrene (6.8)	White, ColorWave™

Construction: 2" Steel Pan
Limited Warranty: All SteelPro doors carry a 10-year limited warranty against rust-through. See your local Raynor Dealer for complete details.

Commercial Operators

ONYX™ (OXJ)

Commercial Operators
Raynor ControlHoist™, ONYX™, and ONYX™ LIGHT operators are available in a variety of motor, voltage, and phase combinations for any commercial or industrial application. Contact your local Raynor Authorized Dealer to select the operator and accessories that are suited for your door's size and usage.

Control Options
A variety of control stations, photoelectric eyes and remote activation devices are available.

Durable. Versatile. Proven.

Raynor also offers a full line of sectional, rolling, high performance and traffic doors as well as security grilles. See your Raynor Dealer or visit www.raynor.com for more information.

Raynor EnergyCore

ThermaSeal®

Depend on your Raynor Dealer

When you choose Raynor, you're not just selecting a high-quality garage door, you're also gaining the expertise of a trained Raynor professional. Every Raynor door is installed by a qualified technician who ensures your door is set up for optimal performance, safety, and reliability from day one. You won't have to worry about installation or adjustments, it's done right the first time. Trust your Raynor garage door to the people who know it best, your professional Raynor Dealer.

Follow Us

P.O. Box 448, 1101 East River Rd.
Dixon, IL 61021-0448
1-800-4-RAYNOR (472-9667)

Exclusively Distributed by:

 ©2025 Raynor